




# New energy Bearing Manufacturing Co.,...

## INA RASE35-N bearing units



RASE35-N Bearing 2D drawings and 3D CAD models

Bearing No. RASE35-N

Bore Diameter	35 mm
d	35 mm
S1	32,5 mm
Thread (Q)	Rp1/8
d3	51 mm
A	45 mm
A1	27 mm
B1	51,3 mm
H	47,6 mm
H1	19 mm
H2	93 mm
J	126 mm
L	163 mm
N	14 mm
N1	21 mm
Weight	1,65 Kg
Basic dynamic load rating (C)	25,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4012802838169
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



## New energy Bearing Manufacturing Co.,...

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE35KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 35MM Bore; 47.6MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 122.1MM Minimum Bolt Spacing; 137.9MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land R
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	RASE35N
Weight / LBS	3.749
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	5 Inch   127 Millimeter
Bore	1.378 Inch   35 Millimeter
Bolt Spacing Minimum	4.807 Inch   122.1Millimeter
Base to Center Height	1.874 Inch   47.6 Millimeter



## New energy Bearing Manufacturing Co.,...

Bolt Spacing Maximum	5.429 Inch   137.9Millimeter
Length Thru Bore	2.012 Inch   51.1 Millimeter