




# New energy Bearing Manufacturing Co.,...

## INA RASE90 bearing units



RASE90 Bearing 2D drawings and 3D CAD models

Bearing No. RASE90

Bore Diameter	90 mm
d	90 mm
S1	46,6 mm
Thread (Q)	Rp1/8
d3	118 mm
A	85 mm
A1	55 mm
B1	69,6 mm
H	101,6 mm
H1	35 mm
H2	200 mm
J	268 mm
L	330 mm
N	27 mm
N1	35 mm
Weight	12,12 Kg
Basic dynamic load rating (C)	96 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	14.513
EAN	4012802795165
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



## New energy Bearing Manufacturing Co.,...

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE90KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 90MM Bore; 100MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	RASE90
Weight / LBS	26.72
Bolt Spacing Maximum	0 Inch   0Millimeter
Bore	3.543 Inch   90 Millimeter
Length Thru Bore	2.74 Inch   69.6 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Base to Center Height	3.937 Inch   100 Millimeter
Actual Bolt Center to Center	10.6 Inch   268Millimeter



## New energy Bearing Manufacturing Co.,...

Nominal Bolt Center to Center	10.6 Inch   268 Millimeter
----------------------------------	----------------------------